

# Index

## -- Symbols --

50 Hertz Electrical Power  
 maintenance  
   adjust belt tension, 7-26  
   general, 7-25  
   verify sheave alignment, 7-25  
 option, 7-25  
 problems, 7-27  
 7-Day Clock, 1-20  
   & filter pump, 7-31  
   & oil skimmer, 7-60  
   & sludge scraper, 7-86  
   & heating system, 1-23  
   & options, 4-22  
 initializing, 2-66  
 operator controls, 1-20, 3-3  
 setting, 4-21

## -- A --

Accessories  
   unpacking, 2-9  
 Air Intake  
   burner  
     maintenance, 5-13  
 Amperage  
   cycling test, 2-63  
 Amperage Draw  
   maintenance, 5-10  
   monitoring, 4-25  
 Anchoring  
   power washer, 2-14  
 APE Timer, 1-22  
   cycling test in power-up, 2-63  
   startup, 1-23

Applications  
   cleaning, 1-10  
 Aqueous Alkaline Cleaner, 1-9  
 ARC  
   and ASE, 4-22  
   overview, 1-14  
 ASE  
   and ARC, 4-15  
   blower motor, 1-22  
   Installation, 2-27  
   maintenance, 5-20  
   overview, 1-14  
   timer, 4-23  
   troubleshooting, 6-19  
   Twist Transition, 2-31  
 Automatic Pressure Equalization (APE)  
   one-pump system, 1-23  
   setting timer  
     cycling test, 2-63  
     washer operation, 1-22  
 Automatic Rinse System (ARC)  
   and ASE, 4-23  
   controlling, 4-15  
   overview, 1-16  
 Automatic Steam Exhaust (ASE)  
   and ARC, 4-23  
   blower motor, 1-22  
   maintenance, 5-21  
   overview, 1-14  
   setting timer, 4-23  
   testing cycle, 4-24  
   timer, 4-23  
   troubleshooting, 6-19  
 Automatic Turntable/Swivel Bearings  
 Lubrication  
   maintenance, 7-7  
   option, 7-3  
   troubleshooting, 7-8

**-- B --**

Bag Filters  
     optional type, 7-30  
 Barometric Damper  
     flue pipe configuration, 2-35  
 Bearings  
     lubrication, 7-3  
     optional remote greasing, 7-78  
     turntable  
         maintenance, 5-17  
     turntable door  
         maintenance, 5-19  
 Belts  
     v-belt drive, 7-25  
 Blower Motor  
     ASE, 1-22  
 BTU  
     180,000, 2-17  
     400,000-990,000, 2-18  
 Burner Blower Motor  
     maintenance, 5-13  
 Burner, Combustion  
     180,000 BTU, 2-17  
     400,000-990,000 BTU, 2-18  
     placement planning, 2-2

**-- C --**

Cabinet  
     construction, 1-5  
 Carbon Dioxide  
     combustion burner, 2-53  
 Carbon Monoxide  
     combustion burner, 2-51  
 Cartridge Filters  
     optional type, 7-29  
 Center Manifold  
     maintenance  
         Teflon bearing plates, 7-14  
     option, 7-10  
 Centering  
     load on turntable, 3-9, 3-13

Chain, Drag  
     sludge scraper, 7-82  
     tension, 7-84  
 Chain, Drive  
     sludge scraper  
         tension, 7-84  
 Chain, Tension of  
     sludge scraper, 7-84  
 Charging  
     with chemical, 4-9  
 Chemical  
     charging power washer, 4-9  
     cleaning results, 1-8  
     concentration, 4-5  
         and foaming, 4-7  
         and supersaturation, 4-8  
         maintenance, 5-20  
     conductivity test, 4-7  
     corrosion prevention, 4-9  
     general, 4-3  
     granular, charging, 2-65  
     liquid, charging, 2-65  
     maintaining concentration, 4-6  
     monitoring concentration, 4-7  
     recommended, 4-10  
     selecting, 4-4  
     titration test, 4-7  
 Chemical Concentration  
     maintenance, 5-20  
     mix ratio  
         rinse option, 4-15  
     rinse injector, 4-16  
 Chemical Concentration Controller  
     maintenance  
         peristaltic pump, 7-22  
         sludge clean-out, 7-21  
     option, 7-16  
 Chemical-Charging Procedure  
     startup, 2-65  
 Chemical-Concentration  
 Management, 4-3  
 Clean, To  
     definition, 1-6  
 Cleaning  
     ineffective, 6-4  
 Cleaning Cycle  
     actual wash time, 3-11  
     continuous, 3-14  
     standard, 3-5

- verifying function, 3-12
  - Cleaning Results
    - chemical, 1-8
    - grit blasting, 1-7
    - power, 1-7
    - soil types, 1-9
    - temperature, 1-8, 4-12
    - theory, 1-6
    - time, 1-10
  - Clock-Override Switch
    - operator controls, 1-20, 3-3
    - operations, 3-6
  - Closed-Loop System
    - power, 1-7
  - Closing
    - door, 3-10
  - Combustion Air
    - national gas fuel code, 2-3
    - placement planning, 2-2
    - power washer, 2-3
  - Components
    - major washer controls, 1-21
    - of power washer, 1-2
  - Compressed Air
    - Airlift, 7-87
    - connection, 2-23
  - Conductivity, 7-16
  - Conductivity Test
    - chemical, 4-7
    - maintenance, 5-21
  - Contaminants removing
    - from solution, 7-58, 7-87
  - Continuous Operation
    - of washer, 3-14
  - Control Panel
    - filter pump selector switch, 7-31
    - options, 3-3
    - sludge scraper selector switch, 7-82
  - Control Voltage
    - power-up procedure, 2-45
  - Corrosion
    - chemical solution, 4-3, 4-5
    - galvanic, 2-25
  - Corrosion Inhibitor, 1-10
    - rinse injector, 4-16
  - Couplings
    - wash pump
      - maintenance, 5-13
  - Cycling Test
    - APE timer, 2-53
    - power-up procedure, 2-45
- D --**
- Devices
    - securing parts, 3-9
  - Diaphragm Seal
    - pump pressure gauge assembly, 7-72
  - Documentation
    - unpacking, 2-9
  - Door
    - closing, 3-10
    - latch, 3-7, 3-10, 3-13
    - limit switch
      - problems, 6-17
    - locking, 3-10
    - opening, 3-7
      - after a cycle, 3-13
    - position lock, 3-8, 3-10, 3-13
    - position lock plate, 2-39
    - power-assisted, 7-69
    - securing, 3-8, 3-10
  - Door Limit Switch
    - troubleshooting, 6-17
  - Door-Limit Safety Switch, 1-23
  - Door-Mounted Turntable
    - overview, 1-13
  - Draft Hood
    - flue pipe configuration, 2-35
  - Draft Inducer
    - flue pipe configuration, 2-35
  - Drag Chain
    - sludge scraper, 7-82
    - tension, 7-84
  - Drain
    - connection, 2-37
  - Drive Chain
    - sludge scraper,
      - tension, 7-84
  - Duplex Pump
    - startup, 1-23

**-- E --**

Earthground  
galvanic corrosion, 2-25

Earthground, Corrosion  
placement planning, 2-2

Electric  
heat source, 2-20  
heating system overview, 1-16

Electrical Connections  
inspection, 2-41

Electrical Control System  
troubleshooting, 6-20

Electrical Schematics, 1-24

Electrical Standards  
overview, 1-5

Electricity  
connection, 2-19  
grounding the washer, 2-25

Electrolytes, 7-16

Expert Help  
installation, 2-1

**-- F --**

Field Startup Procedure (FSP) Form  
unpacking, 2-9  
using, 2-10

Fifty (50) Hertz Electrical Power  
option  
See "50 Hertz Electrical Power", 7-25

Filter Housings  
for optional filters, 7-29  
and water system, 1-23  
maintenance, 5-4  
overview, 1-18

Filter Pump  
& 7-day clock, 7-31  
selector switch, 7-31  
timer, 7-31

Filters  
maintenance  
filter elements, 7-29

option, 7-29  
system configurations, 7-30

Fixtures  
securing parts, 3-9

Float Assembly  
adjusting, 5-15  
maintenance, 5-14

Float System  
See "Water-Level Control System", 1-17, 5-14

Floor  
placement planning, 2-8

Flue Pipe  
carbon dioxide, 2-36  
carbon monoxide, 2-36  
configurations, 2-35  
connection, 2-35  
construction of, 2-36  
oxygen, 2-36  
placement planning, 2-2  
roof clearance, 2-2  
termination location, 2-37

Foaming  
chemical, 4-7  
problems, 6-14  
troubleshooting, 6-14

Frequency Drive  
option, 7-33  
results, 7-34

FSP  
field startup procedure form, 2-9

**-- G --**

Galvanic Corrosion, 2-25

Gas  
heat source, 2-16  
heating system overview, 1-16  
power up procedure, 2-45

Glycerin  
pump pressure gauge option, 7-72

Granular Chemical  
charging, 2-65

Grit Blasting  
power, 1-7

Grounding  
     for electricity (input), 2-25  
     power washer  
         for electricity (input), 2-25  
 Grounding, Electrical  
     placement planning, 2-2

## -- H --

Heat  
     hot-air blow-off option, 7-37  
 Heat (Electric)  
     power-up procedure, 2-45  
 Heat (Gas)  
     power-up procedure, 2-45  
 Heat (Oil)  
     power-up procedure, 2-45  
 Heat (Steam)  
     power-up procedure, 2-45  
 Heat Exchanger  
     & water level, 1-17  
 Heat Exchanger/Suction Tube  
     maintenance, 5-23  
 Heat Source  
     electric, 2-20  
     gas and oil, 2-16  
     steam, 2-20  
 Heating  
     of washer  
         setting the 7-day dual-circuit  
         clock, 4-21  
 Heating Elements  
     maintenance, 5-24  
 Heating System  
     & water level, 1-17  
     and 7-day clock, 1-23  
     and water system, 1-23  
     maintenance, 5-13  
     overview, 1-16  
     problems, 6-8  
     troubleshooting, 6-8  
 Hi-Limit Controller  
     Adjustment, 2-60  
 High  
     water level, 1-17

Hot-Air Blow-Off (HABO)  
     maintenance  
         blower motor, 7-44  
         electric heating coils, 7-27  
     option, 7-37  
     steam-exhaust fan, 7-41  
 Hour Meter  
     operator controls, 1-20, 3-3  
 Housings, Filter  
     for optional filters, 7-29

## -- I --

Impact Pressure  
     power, 1-7  
 Ineffective Cleaning  
     troubleshooting, 6-4  
 Inspection  
     connections, 2-41  
     electrical connections, 2-44  
     power washer, 1-25  
 Internal Reservoir Cover, 7-23

## -- J --

Jib Crane  
     Door Mounted  
         maintenance  
             thrust washers, 7-54  
             yearly inspection, 7-56  
         option, 7-52  
     Rear Mounted  
         maintenance  
             bronze washer, 7-48  
             yearly insp list, 7-51  
         option, 7-46  
 Jog  
     button, 3-13

**-- L --**

Latch  
 door, 3-7, 3-10, 3-13

Leveling  
 power washer, 2-11

Lifting  
 power washer, 2-7

Limit Switches  
 position, changing, 5-16

Liquid Chemical  
 charging, 2-65

Load  
 centering on turntable, 3-9, 3-12

Loading  
 parts, 3-9  
 with jib crane, 7-49, 7-56  
 with rack & fixture set, 7-76  
 with small-parts basket, 7-76

Locking  
 door, 3-10

Low  
 water level, 1-17

Lower Limit Switch  
 water-level control, 1-19

Low-Low  
 water level, 1-17

Lubrication  
 installation, 2-42  
 monitoring, 4-25

**-- M --**

Maintenance  
 placement planning, 2-2  
 service schedule, 5-3

Makeup Water  
 and rinse system, 1-23

Manuals  
 unpacking, 2-9

Micron-Rating  
 of filters, 7-30

Microns  
 comparisons, 7-30

Mix Ratio  
 chemical concentration  
 rinse option, 4-15

Monitoring  
 amperage draw, 4-25  
 nozzles, 4-26  
 pump intake filter, 4-26  
 sludge build-up, 4-25, 5-22

Monitoring Schedule  
 establishing, 4-25

Moving  
 power washer, 2-7

**-- N --**

National Gas Fuel Code  
 combustion air, 2-3

Nozzles  
 eductor, 7-30  
 monitoring, 4-25  
 overview, 1-12  
 pbm  
 maintenance, 5-5  
 placement, 1-12  
 problems, 6-13  
 rinse system, 4-15  
 troubleshooting, 6-13

**-- O --**

Oil  
 heat source, 2-16

Oil Coalescer, 7-62

Oil Skimmer  
 & 7-day clock, 7-60  
 maintenance  
 motor, 7-60  
 wheel & frame, 7-60  
 option, 7-58  
 setting the 7-day dual-circuit  
 clock, 4-21, 4-22

Opening door  
 after a cycle, 3-13

- Operation
    - theory of, 1-6
  - Operations Access
    - placement planning, 2-2
  - Operator Controls
    - power washer, 1-20
  - Options
    - 50 hertz electrical power, 7-25
    - 7-day dual-circuit clock, 4-20
  - and 7-day clock, 4-21
  - Airlift System, 7-87
  - automatic turntable/swivel
  - bearings lubrication, 7-3
  - center manifold, 7-10
  - chemical conductivity controller, 7-16
  - control panel, 3-3
  - filters, 7-29
  - frequency drive, 7-33
  - hot-air blow-off (habo), 7-37
  - installation of, 2-38
  - internal reservoir cover, 7-23
  - jib crane, 7-46, 7-52
  - maintenance, 5-26
  - oil coalescer, 7-62
  - oil skimmer, 7-58
  - others you have purchased, 7-1
  - placement planning, 2-2
  - power-assisted door, 7-69
  - pump pressure control valve & gauge, 7-72
  - pump pressure gauge, 7-72
  - rack and fixture set, 7-74
  - remote grease fittings, 7-78
  - rinse wand, 7-79
  - short high impact manifold (SHIM) system 7-90
  - sludge scraper, 7-82
  - small-parts basket, 7-74
- Oscillation
  - power blast manifold (pbm), 1-12
- Overhead (Piping)
  - placement planning, 2-2
- Oxygen
  - combustion burner, 2-51
- P --**
- Parts
    - loading, 3-9
    - securing, 3-9
    - unloading, 3-14
  - PBM
    - nozzles
      - maintenance, 5-7
    - overview, 1-12
    - problems, 6-15, 7-14, 7-93
    - swivel jam nut
      - maintenance, 5-9
  - PBM Swivel Joint
    - maintenance, 5-4, 5-6
  - PBM Upper Bearing
    - maintenance, 5-4, 5-10
  - pH
    - chemical solution, 4-3, 4-5
  - Placement
    - power washer, 2-8
  - Placement Planning, 2-2
  - Plenum
    - hot-air blow-off
      - inside, 7-42
      - outside, 7-41
  - Pores
    - filters, 7-29
  - Position Lock
    - door, 3-8, 3-10, 3-13
  - Power
    - cleaning results, 1-7
    - closed-loop system, 1-7
  - Power Blast Manifold (PBM)
    - maintenance, 5-5
    - overview, 1-12
    - problems, 6-14, 7-21, 7-93
    - troubleshooting, 6-15, 7-21, 7-93
  - Power Washer
    - anchoring, 2-14
    - charging with chemical, 4-9
    - closed-loop, 1-7
    - combustion air, 2-3
    - components, 1-2
    - grounding
      - for electricity (input), 2-25
    - how it works, 1-6

- inspection, 1-24
  - interdependent system features, 1-22
  - leveling, 2-11
  - lifting and moving, 2-7
  - major control components, 1-21
  - operator controls, 1-20
  - placement, 2-8
  - power-up (installation), 2-45
  - sequence of operation, 1-22
  - starting, 3-11
  - startup procedure, 2-45
  - unpacking, 2-9
  - verifying correct function, 3-12
  - Power-Assisted Door
    - maintenance
      - filter/regulator/lubricator unit, 7-70
    - option, 7-69
  - Power-Up Procedure
    - startup, 2-45
  - Preliminary Checks
    - power-up procedure, 2-45
  - Pressure
    - adjusting, 7-73
  - Pressure, Impact
    - power, 1-7
  - Problems
    - during startup, 2-69
    - sludge scraper, 7-86
  - Pulley
    - v-belt drive, 7-25
  - Pump
    - filter, 7-31
    - peristaltic, 7-16
    - rotation, 2-61
    - wash, 1-22
      - and optional filters, 7-29
      - and startup, 1-23
      - maintenance, 5-10
      - problems, 6-5
  - Pump Intake Filter
    - monitoring, 4-26
  - Pump Pressure Control Valve & Gauge
    - option, 7-72
  - Pump Pressure Gauge
    - option, 7-72
  - Pump Suction Filter Screen & water level, 1-17
  - Pumping System
    - overview, 1-12
  - Pure Water/Pure Rinse System
    - option, 7-94
- R --**
- Rack and Fixture Set
    - option, 7-74
  - Regulator, Water
    - rinse system
      - adjusting, 4-19
  - Relay
    - wash/rinse, 1-22
  - Remote Grease Fittings
    - option, 7-78
  - Reverse Osmosis
    - See "Pure Water/Pure Rinse System"
  - Rinse Cycle
    - and temperature, 4-13
    - time of, adjusting, 4-13
  - Rinse Cycle Timer
    - setting, 3-11
  - Rinse Injector
    - adjusting chemical concentration, 4-16
    - corrosion inhibitor, 4-16
    - priming during startup, 2-67
  - Rinse Off/Auto
    - operator controls, 1-20, 3-3
  - Rinse System
    - control, 4-15
    - makeup water, 1-23
    - optional, 1-22
    - regulator
      - adjusting, 4-19
      - startup, 2-67
      - troubleshooting, 6-18
      - water-flow adjustment, 4-19
  - Rinse Timer
    - setting, 4-15
  - Rinse Wand
    - option, 7-79



- Rinse Water
  - accumulation of, 1-18
  - auto steam exhaust (ASE), 1-14
  - rinse-bank, 1-18
- Rinse-Bank
  - water level, 1-17, 1-18
- RO Water Fill and Rinse System
  - See "Pure Water/Pure Rinse System"
- Roof (Piping)
  - placement planning, 2-2
- Route
  - placement planning, 2-2
  
- S --**
  
- SBO
  - services by others letter, 2-2
- Schematics
  - electrical, 1-23
- Scraper, Sludge
  - option (see "Sludge Scraper"), 7-82
- Securing
  - devices, 3-9
  - door, 3-8, 3-13
  - parts, 3-9
  - parts with fixtures, 3-10
- Sequence of Operation
  - power washer, 1-22
- Sequestrant, 1-9
- Service Access
  - placement planning, 2-2
- Service Schedule, 5-3
  - and monitoring, 4-25
- Services By Others (SBO)
  - installation, 2-2
- Set-Point
  - water level, 1-17
- Seven-Day Clock, 1-21
  - & filter pump, 7-31
  - & oil skimmer, 7-60
  - & sludge scraper, 7-84
  - and heating system, 1-23
  - and options, 4-22
  - setting, 4-21
- Seven-Day Dual-Circuit Clock
  - operator controls, 1-20, 3-3
- Sheave
  - v-belt drive, 7-25
  - verifying alignment, 7-26
- Siemen
  - measuring conductivity, 7-18
- Single Pump
  - startup, 1-23
- Skimmer, Oil
  - option (see "Oil Skimmer"), 7-58
- Slip Clutch
  - turntable drive system, 1-13
- Slip Clutch/Torque Limiter
  - maintenance, 5-18
- Sludge
  - clean-out, 5-22
  - monitoring, 4-25, 5-22
- Sludge Scraper
  - & 7-day clock, 7-84
  - maintenance
    - chain tension, 7-86
  - option, 7-82
  - problems, 7-86
  - selector switch, 7-82
  - timer, 7-84
- Small-Parts Basket
  - option, 7-74
- Soils
  - and foaming, 4-7
  - removal of types, 1-9
  - selecting chemical, 4-4
- Solution
  - foaming of, 4-7
  - pH, 4-3, 4-5
  - supersaturation of, 4-8
- Solution-Level Control System
  - troubleshooting, 6-16
- Start
  - button, 3-11
- Start/Cycle Light
  - operator controls, 1-20, 3-3
- Starting
  - power washer, 3-11
- Startup
  - and wash pump, 1-23
  - chemical-charging procedure, 2-65
  - duplex pump, 1-23

- electrical connections inspection, 2-41
  - initializing 7-day clock, 2-66
  - installation procedure, 2-38
  - lubrication procedure, 2-44
  - power-up procedure, 2-45
  - problems, 2-69
  - single pump, 1-23
  - troubleshooting, 6-3
  - Steam
    - auto rinse cycle (arc), 1-15
    - auto steam exhaust (ASE), 1-14
    - heat source, 2-20
    - heating system overview, 1-16
  - Steam Exhaust
    - connection, 2-27
  - Steam-Exhaust Fan
    - connection, 2-27
    - hot-air blow-off (habo), 7-37
  - Steam-Exhaust Pipe
    - connection, 2-29
  - Stop
    - operator controls, 1-21, 3-3
  - Supersaturation
    - chemical, 4-8
  - Supply Voltage
    - power-up procedure, 2-45
  - Surfactant, 1-9
- T --**
- Temperature
    - adjusting, 4-12
    - and foaming, 4-7
    - and rinse cycle, 4-12
    - checking for operations, 3-5
    - cleaning results, 1-8
    - controller, 4-12, 4-15
    - guidelines, 4-12
    - power-up procedure, 2-45
    - verifying wash t., 3-10
  - Time
    - actual wash time, 3-11
    - cleaning results, 1-10
  - Timer
    - APE (single pump), 1-22, 1-23
    - automatic steam exhaust (ASE), 4-23
    - filter pump, 7-30
    - setting APE t.
      - cycling test, 2-62
    - setting ASE t., 4-23
    - setting rinse cycle t., 3-11
    - setting rinse t., 4-15
    - setting wash-cycle t., 3-11
    - sludge scraper, 7-84
    - wash cycle
      - operator controls, 1-20, 3-3
    - wash-delay (duplex pump), 1-22, 1-23
  - Titration Test
    - chemical, 4-7
    - maintenance, 5-20
  - Troubleshooting
    - automatic steam exhaust (ASE), 6-19
    - door limit switch, 6-17
    - electrical control system, 6-20
    - foaming, 6-14
    - heating system, 6-8
    - ineffective cleaning, 6-4
    - nozzles, 6-13
    - power blast manifold (pbm), 6-15, 7-89
    - rinse system, 6-18
    - solution-level control system, 6-16
    - startup problems, 6-3
    - turntable drive, 6-12
    - wash pump system, 6-5
  - TTBL (Turntable) Jog
    - operator controls, 1-20, 3-3
  - Turntable
    - bearings
      - maintenance, 5-16
    - centering load, 3-9, 3-12
    - door bearings
      - maintenance, 5-19
    - slip clutch/torque limiter
      - maintenance, 5-18
  - Turntable (TTBL) Jog
    - operator controls, 1-20, 3-3
  - Turntable Drive
    - problems, 6-12
    - troubleshooting, 6-12

Turntable Drive System  
 overview, 1-13  
 Turntable, Door-Mounted  
 overview, 1-13

## -- U --

Unloading  
 parts, 3-14  
 with jib crane, 7-50, 7-56  
 Unpacking  
 power washer, 2-9  
 Usage  
 water-based cleaner, 1-10  
 Utilities  
 connecting, 2-15  
 input, 2-15  
 output, 2-27  
 placement planning, 2-2  
 verifying connections, 2-41

## -- V --

V-Belt Drive  
 50 hertz electrical power option,  
 7-25  
 Variable Frequency Drive (VFD)  
 See "Frequency Drive"  
 option, 7-33  
 Vendor Cut Sheets  
 unpacking, 2-9  
 Verification  
 connections, 2-44  
 Voltage  
 maintenance, 5-21

## -- W --

Wash Cycle Timer  
 operator controls, 1-20, 3-3  
 setting, 3-11

Wash Pump  
 & water level, 1-17  
 amperage draw, 5-10  
 and startup, 1-23  
 couplings  
 maintenance, 5-13  
 main, 1-22  
 maintenance, 5-11  
 problems, 6-5  
 troubleshooting, 6-5  
 Wash Pump Intake Filter  
 maintenance, 5-3, 5-5  
 Wash Pump Motor  
 maintenance, 5-11  
 Wash/Rinse Relay, 1-22  
 Wash-Delay Timer, 1-22  
 startup, 1-23  
 Water  
 connection, 2-22  
 solution-level control system  
 problems, 6-16  
 Water Flow  
 adjusting, 7-34  
 Water Hammer  
 cycling test, 2-62  
 wash pump startup, 1-23  
 Water Level  
 control system, 1-17  
 high, 1-17  
 low, 1-17  
 low-low, 1-17  
 positions, 1-19  
 rinse-bank, 1-17, 1-18  
 set-point, 1-17  
 Water Regulator  
 rinse system  
 adjusting, 4-19  
 Water Solenoid Valves  
 maintenance, 5-16  
 Water System  
 and heating system, 1-23  
 Water-Based Cleaner, 1-9  
 Water-Fill  
 of washer  
 setting the 7-day dual-circuit  
 clock, 4-21  
 power-up procedure, 2-46  
 Water-Fill System  
 rinse-bank, 1-18

Water-Flow Adjustment

rinse option, 4-19

Water-Level Control System

maintenance, 5-14

overview, 1-17

WCI

at flue-pipe stub, 2-35

Wiring

overview, 1-5